The Advantages

live. love. cook.



schüller.

Index

Flexibility
— 004 —

Our kitchens are designed to be perfectly ergonomic and flexible in terms of planning.

Individuality
— 014 —

Our kitchens can be tailored to customer requirements.

Quality
— 029 —

Our kitchens are Made in Germany and embody durability and quality down to the very last detail.

Ideas
— 049 —

Our products stand out for their practicality and a multitude of delightful ideas and solutions.

Service
— 061 —

Modern tools with constantly updated functions make everyday sales work easier.

Sustainability
— 072 —

Actions speak louder than words: durability is an essential marker of quality – for customers who know what really matters.

Inspiration
— 075 —

Your (and our) passion for kitchens is the key to winning customers over.



Make our advantages your own

And make sales enjoyable.

Selling products that you are positive about in every way is not only easier and more believable, but also a lot more fun. These thoughts are always in the back of our minds when we're manufacturing and refining our kitchens together with our production, service and marketing departments.

The customer's wishes always come first.

We aim to meet a wide range of requirements in all aspects of use and planning. This particularly includes individuality, functionality and flexibility in design and features. So, we offer different systems and installation heights, as well as plenty of innovative ideas to give each kitchen a certain "je ne sais quoi". We have also opened up into other areas of business to be able to provide our customers with versatile solutions for the entire home, and not just the kitchen. Our products for pantries, utility rooms, wardrobes and living rooms leave nothing to be desired. Other success factors are our outstanding quality assurance and equally excellent and reliable service. We achieve this through ongoing training for employees and consistent manufacturing exclusively in Germany.

Arguments for our products – and for your sales consultations.

All of these aspects are not only beneficial to the many enthusiastic individuals who cook and live with a lust for life in a Schüller kitchen but also, of course, to you as a retailer. At the end of the day, the numerous advantages that Schüller kitchens and furniture have to offer are at the same time strong arguments for your sales consultations with long-term, satisfied customers.




Flexibility

Our kitchens are designed to be perfectly ergonomic and flexible in terms of planning.

Planning freedom, storage space & ergonomics

KEY FACT

From an ergonomic perspective, a perfectly adapted working height in the kitchen is essential to protect the user's back as they go about their everyday tasks. The ideal level depends on how tall they are and is determined by their elbow height. Thanks to the three different carcase heights, combined with two worktop depths of 1.6 and 3.9 cm and up to 7 plinth heights, it can be adapted by 5 to 20 cm to meet individual requirements at no extra cost.



A 13 cm grid provides the basis for three installation heights:


13 cm is the perfect grid size for creating ergonomic carcase heights while achieving a visually harmonious joint pattern and at the same time gaining maximum storage space in drawers and pull-outs.

By multiplying the grid size by 5.5, we get grid C1 with a base unit height of 71.5 cm. Multiplying the grid size by 6 gives us the

C2 grid at 78 cm and the grid created by multiplying it by 6.5 is called C5 and corresponds to a carcase height of 84.5 cm. For carcase models with grip ledge profiles we use the identifiers X1, X2 and X5 and for the SingleX combination we use the abbreviations SX2 and SX5.

Perfect results whether with handles, handleless or with Tip-On

It's not just the planning or the front design that are responsible for how a kitchen looks. Would your customer like subtle handles or more prominent ones? Should the kitchen lines stand out more or is a minimalist style required? Here, you can find the perfect solution for all requirements: a large selection of handles; grip ledge profiles in many colours; handleless options with our innovative Tip-On technology; or SingleX – a combination of a grip ledge under the worktop and Tip-On.




The handleless model has a 3.6 cm gap at the top which is the perfect size for reaching into.

The potential of the collection

1

You can see a cross-section of the units in the sales manual. This will enable you to let your customers know the exact interior dimensions.



Base unit options:
Width 30 / 40 / 45 / 50 / 60 / 80 / 90 / 100 / 120 cm
Height 71.5 cm plus 5 plinth height
Depth 35 / 46 / 56 cm

Tall unit options:
Width 30 / 40 / 50 / 60 cm
Height 149.5 / 162.5 / 188.5 / 201.5 / 214.5 cm
Depth 35 / 46 / 56 / 66* cm

35 cm deep wall unit options:
Width 30 / 40 / 45 / 50 / 60 / 80 / 90 / 100 / 120 cm
Height 39 / 52 / 65 / 71.5 / 78 / 84.5 / 91 cm

56 cm deep wall unit options:
Width 30 / 40 / 45 / 50 / 60 cm
Height 52 / 58.5 cm

* 66 cm deep tall unit available for 201.5 and 214.5 cm installation heights for a defined selection of products.

C1 | X1


Carcase height 71.5 cm

The C1 system is based on five full 13 cm grid heights and half a grid measuring 6.5 cm, resulting in a base unit height of 71.5 cm. This classic starting height has the advantage that it can be installed virtually anywhere while being ergonomic and excellent value for money. C1 is perfect for old buildings with a low sill height and for people up to 170 cm tall.

X1 is the same as the C1 system in terms of installation depth, carcase width, plinth height and worktop specifications; however, this system has a handleless design, which makes for an attractive minimalist finish.

2

You can see a cross-section of the units in the sales manual. This will enable you to let your customers know the exact interior dimensions.



Base unit options:
Width 30 / 40 / 45 / 50 / 60 / 80 / 90 / 100 / 120 cm
Height 78 cm / 91 cm plus 7 plinth height
Depth 35 / 46 / 56 / 66 cm

Tall unit options:
Width 30 / 40 / 50 / 60 cm
Height 149.5 / 162.5 / 201.5 / 214.5 / 227.5 cm
Depth 35 / 46 / 56 / 66* cm

35 cm deep wall unit options:
Width 30 / 40 / 45 / 50 / 60 / 80 / 90 / 100 / 120 cm
Height 39 / 52 / 65 / 78 / 91 cm

56 cm deep wall unit options:
Width 30 / 40 / 45 / 50 / 60 cm
Height 52 / 58.5 cm

* 66 cm deep tall unit available for 201.5 and 214.5 cm installation heights for a defined selection of products.

C2 | X2 | SX2

Carcase height 78 cm


The C2 system consists of six grids, each with a height of 13 cm. The base unit height is therefore 78 cm. C2, X2 and SX2 are perfect for modern buildings with a sill height of approx. 90 cm and ideal for people over 170 cm tall. We also offer a few special features in the 78 cm height, such as the 66 cm base unit depth.

X2 and SX2 are the same as the C2 system in terms of installation depth, carcase width, plinth height and worktop specifications; however, these systems have a handleless design, which makes for an attractive minimalist finish.

The potential of the collection

5

You can see a cross-section of the units in the sales manual. This will enable you to let your customers know the exact interior dimensions.



* 66 cm deep tall unit available for 201.5 and 214.5 cm installation heights for a defined selection of products.

Base unit options:
Width 30 / 40 / 45 / 50 / 60 / 80 / 90 / 100 / 120 cm
Height 84.5 cm plus 7 plinth height
Depth 35 / 46 / 56 cm

Tall unit options:
Width 30 / 40 / 50 / 60 cm
Height 149.5 / 201.5 / 214.5 / 227.5 cm
Depth 35 / 46 / 56 / 66* cm

35 cm deep wall unit options:
Width 30 / 40 / 45 / 50 / 60 / 80 / 90 / 100 / 120 cm
Height 39 / 52 / 65 / 71.5 / 78 / 84.5 / 91 cm

56 cm deep wall unit options:
Width 30 / 40 / 45 / 50 / 60 cm
Height 52 / 58.5 cm

C5 | X5 | SX5

Carcase height 84.5 cm

If exclusivity and a particularly homely feel are what you're after, C5 is the right choice. Its height provides more options for customised design, and in combination with a 1.6 cm worktop, the kitchen emits even more elegance. The middle drawer is half a grid higher, which, when combined with a low plinth, creates more storage space. This carcase height is particularly suitable for taller people.


X5 and SX5 are the same as the C5 system in terms of installation depth, carcase width, plinth height and worktop specifications; however, these systems have a handleless design, which makes for an attractive minimalist finish.

More storage space thanks to different depths


KEY FACT

In smaller apartments especially, the available space needs to be used well. With our different unit depths, we create storage space for everything that needs to be kept in the kitchen. The range of depths applies to tall units, wall units and base units alike.

Base and wall units



Tall units



In the case of system C, three carcase depths between 35 and 56 cm are available for the base units. In the case of C2, you can also choose a depth of 66 cm. In the wall unit range, the 35 cm deep unit provides plenty of storage space, even for large plates. The 56 cm* deep wall unit can also hold bulky kitchen utensils.

In all systems you can use the whole range of measurements, both for the tall units and the base units. In almost all front ranges, the front division can be modified to make the exterior as unique as the interior. This means that the kitchen can be perfectly tailored to all needs and purposes.


* 56 cm deep wall unit available for 52 and 58.5 cm installation heights, in the widths 30, 40, 45, 50 and 60 cm.

** 66 cm deep C1/C2/C5 tall unit available for 201.5 and 214.5 cm installation heights for a defined selection of products.

Bespoke solutions – special designs

KEY FACT

To provide your customers with a solution for different personal and spatial requirements, we offer you a range of options so that you can tailor your plans to each individual. Height, width and depth adjustments allow you to plan kitchens that are as unique as your customers!



1 **Reduction in base, top and tall unit depth**
Only products without drawers, pull-outs or built-in components

2 **Reduction in wall and base unit height, one or two doors**
Only products without built-in components. Reductions of up to 29.6 cm in the front height and up to 30 cm in the carcase height are possible.
Reduction in tall unit height
Only products without built-in components

3 **Reduction in base, top and tall unit width**
Only products without drawers, pull-outs, glass shelves or built-in components

4 **Base unit with shelf top**
Base units connected to top units have a closed top rather than a wooden crossbeam.

5 **Wall unit base panel closed at the back**
Closes the base panel on wall units against the wall at the back. Practical when there are seating areas nearby.

6 **Wall unit – front division modification**
Enables the lines to be continued between wall units with a folding flap door and wall units with doors.

7 **Bottom/top front extension**
The minimum distance between the front and the floor is 1.45 cm. In the case of base units and tall units, the maximum extension is 13.7 cm; in the case of wall units, the max. extension is 6.5 cm. Please observe the planning information in the current sales manual.

8 **Tall unit width reduction | Drawer/pull-out unit**
From 30.1 to 100 cm wide.
Please observe the planning information in the current sales manual.


9 **Base unit width reduction | Drawer/pull-out unit**
From 30.1 to 119.9 cm wide.
Please observe the planning information in the current sales manual.

Totally adaptable – the Vario system

KEY FACT

The Vario system enables you to easily redesign units without having to start your planning from scratch. Simply change the front division of a tall unit or use our inserts for refrigerator recesses in rows of tall units to create symmetry. This is how tailored solutions become a matter of course in the planning business.


Calculation examples for tall units Modification of front division



GR 201 O Z2 (A) | Special

Calculation: e.g. Price group 0		
Tall unit GR 201 O Z2 (A)	1159 (1129) Points	1159 (1129) Points
Tall unit, modification of front division (HFE)		183 (183) Points
Total	1159 (1129) Points	1342 (1312) Points

Example for tall unit C2 Tall storage unit with even front division



GR 214 140 B | GR 214 O (A) | Special design

Vario installation in fridge recess 140,1-144,9 cm

1. Shelf installation
2. Installation of an internal drawer, internal pull-outs and shelves
3. Installation of shelves and internal pull-outs

The HFE option allows you to select a tall unit with a similar appearance to the desired unit and to modify it for a small additional charge. This also enables you to add more functions to units.

Tall unit C2
Lower position of oven
1 pull-out becomes 1 drawer

Method:

1. Select a unit as closely as possible matching the required unit: GR 201 OM SZ (A)
2. Change front division with HFE
   The required front area must already be included in the unit
3. 1 pull-out becomes 1 drawer

When planning a combination of appliance and tall storage units, the built-in units in the Vario system range provide the flexibility to create customised designs.


Here, an appliance recess is simply replaced by a continuous rear panel with an interior partition. Combined with a tall appliance unit for an oven and/or microwave, this achieves a symmetrical appearance.

Method:

1. Choice of tall appliance unit
   (GR 214 140 B) with required front division
2. Select required internal division V 144 EB3 IZ2
3. Change fridge recess to 3 shelves, 2 internal pull-outs, 1 back panel

3 colours

In addition to the 12 exterior decors and white interior carcase designs, you have the choice of three colour-coordinated carcase designs. These are: crystal white, lava black and pebble grey.



Consistency in our materials


Consistency creates a harmonious overall look. That’s why there’s a matching surround for almost all of our ranges. So that you have this information on hand for your customer consultations, a self-explanatory drawing can be found on the back of every sample front.

1: front; 2: visible side; 3: worktop; 4: recess material; 5: support panel; 6: plinth

Greater consistency for greater freedom


KEY FACT

Schüller stands out for its surprisingly wide range of kitchens and furniture. The wealth of contemporary styles, shapes and colours, as well as materials, surfaces and carcase sizes oozes creativity. We aim to provide our extensive group of target customers with a design that meets their individual needs and creates a confidently stylish living environment.




Consistency in our systems

On smooth fronts, the consistency of systems with or without handles provides maximum flexibility when planning. Among our Shaker-style fronts, the Newport satin range is now also available as a handleless version. Creativity knows virtually no bounds.



Consistency in our dimensions

All systems offer virtually the same types of unit. All current front widths and unit depths (35/46/56 cm) are available across the C1, C2 and C5 systems, and an oversized unit with a depth of 66 cm is available in the C2, X2 and SX2 ranges. A switch from one system to another is supported by the planning software and can be easily implemented.



Consistency in our grids

The systems made by Schüller Kitchens are based on a unique 13 cm grid. This results in optimally clean lines and a perfect 0.4 cm joint pattern. On the one hand, this allows units to be stacked with confidence. On the other, it creates a consistent front look that rounds off the minimalist design in handless kitchens.



Consistency in our planning

Universally available front ranges and logically structured product numbers make finding and replacing suitable items really easy. As a planner, the same options are open to you across the carcase system ranges, meaning that changing a carcase height or switching a kitchen with handles to a handleless design is nice and simple.



Individuality

Our kitchens can be tailored to customer requirements.

Design elements for greater individuality

Country-Style-Elements

Kitchen and homely elements that ooze natural appeal and convey a feeling of timeless warmth: Country Style combines rustic flair with natural colours to create the perfect symbiosis of tradition and modernity. Ceiling-high units, design elements like cornices or cross dividers and a variety of classic and technical fittings give you free rein when planning.





Support panel open shelf units

Support panel open shelf units offer many possibilities when designing a kitchen. Whether nestled between wall units or as a large feature of the kitchen island, they always make a good impression. They can even be used to make bookcases. Indirect lighting can also be added for effect.

Glass display units

Whether as a top unit or wall unit, integrated in a row of units or freestanding, glass display units are a wonderful highlight in any room. This is especially thanks to our wide range of colours, glass types and frames as well as optional built-in mood lighting that can be perfectly tailored to individual customer preferences





Frame Rack

It’s in demand in the kitchen as never before and a real all-rounder: the Frame Rack aluminium shelf system is perfect for bespoke designs, whether suspended on the wall, standing on the floor, integrated into the recess or hanging from the ceiling. Its elegant cubic appeal, technical perfection and the creative ways in which it can be used guarantee a wow effect!

Adjoining tables & breakfast bars

Almost effortlessly, adjoining tables and breakfast bars add both functional and aesthetic value. These space-saving solutions provide additional work and storage space while standing out in the kitchen design thanks to their range of customisation options.





Panel system

Whether for use in recesses or on the wall, the panel system blends in to the kitchen beautifully. Panel profiles are available in a stainless-steel coloured or onyx black design. A wide selection of panel inserts mean that everyday objects can be tidied away but remain close at hand. Spices, kitchen utensils and even the tablet for looking up recipes all have their place.

Lighting – everything in the right light




KEY FACT

Bright work light where it is needed or mood lighting in the evening – whatever the requirements, lighting has a considerable effect on the feel-good factor in the kitchen. Customised lighting makes kitchen planning unique and provides more quality for our customers. Added value for your customers and you: with different lighting options, for instance for plinths, grip ledges or pull-outs, you can create the perfect lighting in the kitchen workspace and provide expertise through well-thought-out designs.

Plinth & grip ledge lighting

Plinth lighting is built into a profile and can also be fitted under dishwashers and refrigerators. The grip ledge under the worktop can be equipped with lighting too; the LED light strips are pre-assembled at the factory.







ZigBee-compatible LED mood lights

Make your kitchen lighting smart. The LED converters are equipped with a ZigBee module. This enables the light set to be controlled by remote control, smartphone, tablet or voice input. For integration in a smart home, working Wi-Fi and a ZigBee hub/bridge 3.0 are required.

Versatile LED lighting

Linear, designer LED lighting or classic spotlights, for instance, are available to create the perfect work light. The light colour and brightness can be adjusted on almost all of the LED lights we sell.





Illuminated support panel top shelves

Thanks to the flexible placement of the lighting elements, our support panel top shelves with a milled groove for linear LED lighting are not merely a visual highlight. Planning requirements can also be met more easily as the lighting can be installed where it makes sense and where it will be used.

Interior lighting in pull-outs

Added value for your customers and you: built-in LED lighting with a sensor switch for pull-outs enables you to create the perfect lighting inside the unit.





Frame Rack shelving with illuminated shelves

On the Frame Rack, elements with or without lighting can be combined in a number of ways. This provides you with a wide range of options so that you can tailor them to meet your customers' requirements.

Support panel open shelf units with illuminated intermediate shelves

On the support panel open shelf unit, elements with or without lighting can be combined however you like.





Carcase base with LED profile

Direct, bright light is required to illuminate work areas. Illuminated grip ledge profiles in the wall unit carcase base provide your customers with an additional light source that will both illuminate their work area and create a pleasant atmosphere.

Smart helpers in the kitchen



KEY FACT

Smart ideas and intelligent kitchen accessories make our kitchens unique and provide our customers with more quality in each and every detail.

Plinth garage for robot vacuums

A cutout in the plinth allows a docking station to be installed to save space. This not only provides benefits in terms of space but also aesthetics.





Raised corner shelf with pull-out shelf

Make the most of corners: the raised corner shelf conceals bulky appliances and stows itself away inside the base unit at the push of a button. The lower shelf can be pulled out.

Power sockets for fixed front panels & support panels

Type F sockets can be installed separately or in groups. The low installation depth enables them to be used in many fixtures.





Flip sockets (closed)

The elegant cover conceals a USB port and two sockets that can be accessed with a single touch and are ready to use right away.

Power corner sockets for recesses

This popular solution for installation in recess corners combines function and design while impressively adding value for your customers. Available in stainless steel and onyx black.





Piccolino power sockets

Easy to install in the worktop and with a clever opening mechanism, these sockets are impressively quick and easy to use. USB port included, available in stainless steel and onyx black.

Water treatment

Filtered, carbonated, hot or cold water straight from the tap: available in two base unit widths (30 or 60 cm), the unit provides a drawer and an internal drawer with a space to store cartridges for all conventional water treatment systems. To guarantee optimum operability and safety, the base unit comes with a moisture-proof base panel and without a rear panel.



Panel garden with built-in lighting

The panel garden is suspended from the intermediate profile of the recess system. The lighting is controlled by a time switch, which provides light for 14 hours.

The range of electronic devices shown differs according to the country.

Country-Style Elements



Base unit hob shelf

The hob shelf provides quick access to pots and pans. The two pull-out trays also enable you to easily reach cooking utensils at the back.





Pillared end shelf unit for base units

Pillared open shelf units are an eye-catching feature on the end of a row of units. The open shelving creates an airy, homely appearance while providing easily accessible storage space and a display area for ornaments.

Plate shelf

Everyday crockery is close at hand on the plate shelf. The bottom rail is perfect for hanging everyday kitchen accessories. Details like the grooved design of the rear panel provide an optical highlight.






Support panel open shelf units with curved supports

Whether they are used as a storage space or display area for ornaments, everything can be skilfully showcased in the support panel open shelf units. The curved wall brackets add a homely touch to the kitchen and ensure that the shelves are optimally presented.

Base units with glass fronts and glazing bars

Base units with glass fronts stand out thanks to their ability to keep contents tidy and protect them from dust and dirt. The glass fronts with glazing bars allow the good crockery to be skilfully showcased without gathering dust.





Pillared end shelf unit for wall units

The end shelf unit blends in perfectly with the overall look and enables quick access. It is perfect for fitting above a pillared end shelf unit for base units.

Adjoining table and grooved support panels

The grooved support panels carry the Country Style character through to the kitchen island. The adjoining table frame gives the kitchen an airy, tidy appearance and also provides more usable space for working and socialising.



Special fittings for tall and top units


KEY FACT

To make the most of the available space, our different top units combine practicality and style. From top units for kitchen appliances to glass display units and illuminated roller-shutter and multi-functional top units, our wide range of top units meets practically all design requirements.


1


2


3


4


5

KEY FACT

Maximum storage space thanks to tall units with customisable interior fittings: offer your customers planning solutions that are perfectly tailored to their needs. Different dimensions, materials and properties that can be perfectly adapted to all room specifications.









1 **Top unit with plastic roller-shutter**
Small appliances can be stowed away or placed at a practical working height. The pull-out shelf enables quick access.

2 **Corner top units with LeMans on corner base units**
Intelligent kitchen planning with our LeMans top units: extendable shelves allow you to reach even the furthest corners of the unit with ease.

3 **Multi-purpose top shelf unit for laundry**
With a clothes rail for airing and drying clothes or support panel top shelves for additional storage space, the top shelf unit is highly versatile.

4 **Top units with glass doors and drawers**
Tidily stowed away but still visible – these practical top units can be integrated into the kitchen design to create a functional highlight.

5 **Multi-functional top unit with pull-out shelf**
Concealed behind the fronts is plenty of cleverly arranged space.


6 **Tall storage unit with internal drawers and pull-outs**
When the door is open, the internal pull-outs can be easily accessed from either side.

7 **Tall unit with pull-out larder**
When the hinged doors are open, the stored items are right in front of the user and can be accessed conveniently from the front and side.


8 **Tall storage unit and support panel open shelf units**
The fixed shelves enable you to plan open storage solutions, while the movable shelves can be fitted behind a door.

9 **Tall storage unit with pull-out**
When the door is open, the stored items are right in front of the user and can be accessed from both sides.


Fronts to suit all needs




Resin fronts



Hard-wearing fronts with high-quality decor paper coated in melamine resin. Surfaces are available in a range of monochrome colours and can also be textured with a wood effect.




Laminate fronts



The most hard-wearing fronts have a laminate coating. This surface is considerably thicker and harder than resin fronts and therefore more robust.




UV lacquer fronts



Several coats of UV lacquer are applied to wood-based materials to create a high-quality matt lacquer surface. The AFP coating and thick edges make this a highly resistant front.




High gloss lacquer fronts



High-quality lacquered fronts produced in several work processes, making them extremely durable, are distinguished by brilliant colours and a soft, rich feel.



Polymer glass fronts




The basis is an MDF carrier board to which a colour-imparting polymer layer and 2-mm-thick polymer glass are applied. The sides are protected by thick edges to ensure a high load-bearing capacity.

KEY FACT

The fronts give a kitchen its individual appearance and are fully tailored to customer requirements. Here at Schüller, we move with the times and have fronts to suit all needs. From resin or lacquer laminate fronts to lacquer fronts and glass or wood sufaces. Not only do we offer a wide range of options in terms of materials and textures, but our selection of design options in terms of form, colour and style is bigger than ever and therefore highly customisable.




Wood fronts




Wood fronts are made of high-quality veneers. The use of real wood creates a more natural look. A hard-wearing water-based lacquer provides protection.




UV lacquer fronts Matera | Matera Color



The fronts are made of particle board with a direct coating. The matt surface is smooth to the touch and easy to maintain thanks to its anti-fingerprint properties.




Matt velvet lacquer fronts



This water-based dual cure lacquer system with UV drying and AFP coating is highly durable.




Satin lacquer fronts with pores



These fronts have a backboard that has a layered wood pore structure and is coated with a dual cure lacquer system. It looks very much like a lacquered wood surface.



Satin lacquer fronts



This water-based dual cure lacquer system with UV drying is highly durable.

KEY FACT

Thanks to their consistent appearance and wide range of colours, lacquer surfaces are extremely popular with many customers. We use water-based lacquers with a considerably lower proportion of volatile organic compounds. This means that they contain fewer hazardous substances and produce fewer emissions than solvent-based lacquers. Water-based lacquers are much more environmentally friendly as fewer fossil energy sources are required in their manufacturing.

Handleless options

KEY FACT

The handleless kitchen is a true highlight in terms of design. Very few other concepts can look so scaled back, so pure. Nothing spoils the smooth finish of the closed front. Only horizontal and vertical lines strategically divide up the panels. Those who like handleless kitchens will love our collection.

All-round front support panel (1-part)

A particular highlight and specially developed for admirers of exquisite design, the all-round front support panel takes the grip ledge round the corner so to speak, with the result that the worktop almost appears to float.





All-round front support panel (2-part)

Planning a kitchen with handleless, divided front support panels creates a quality, graphic look. This solution lends itself to base units and islands.

Continuous grip ledge profile

In most handleless plans, the grip ledge profile can only be continuous with the 82 cm high dishwasher. This depends on the carcase and plinth height. An alternative would be a drawerline front with a divided grip ledge profile.






Drawerline front

If the double pull-out look is required for the dishwasher in a handleless kitchen, this can be imitated with a “two-part” drawerline front. Please bear in mind the spring load of the dishwasher when planning.

Oven cavity filler strip

In the case of vertical grip ledge profiles adjacent to a tall appliance unit, a filler strip to match the grip ledge is automatically supplied at no additional cost.





Pocket recess

If a handleless kitchen is planned without support panels, the side of the carcase is given a pocket recess so that the side of the carcase remains closed on the outside. The grip ledge profile then ends with a cover. We include this feature by default at no extra cost.

Distance from wall

To guarantee optimum grip in handleless kitchens, the worktop overlap is reduced by positioning the carcase 1.2 cm from the wall using a spacer.



Increase in carcase depth


So that the side of the carcase at the end of the row of units is flush to the wall, the carcase depth is increased by 1.2 cm if no support panel is planned. We include this feature by default at no extra cost.

13 colours

The grip ledge profiles are available in the following colours:


Horizontal grip ledge

Horizontal grip ledge profiles can also be continued through tall units.




Surrounding front support panel

The surrounding front support panel makes the worktop look like it's floating and adds a touch of finesse.



SingleX

The front appearance is scaled back to the essentials and blends subtly and elegantly into the overall look thanks to the accentuated horizontal lines.



Vertical grip ledge

The vertical tall-unit grip ledge permits boundless planning options in terms of selecting appliances.

Greater convenience with no handles

KEY FACT

Added value in the kitchen – a core theme. Handleless drawers, pull-outs and doors can be opened by pressing on them. Besides being convenient, they also look great. A kitchen can only be considered truly handleless when its design is unique and the architecture of the kitchen really comes into its own. To achieve this, the C-drive system is electrical whereas the Tip-On system is purely mechanical and works with a soft press.

C-Drive



Opening with C-drive

Electric opening for folding flaps and pivot and lifting doors. The front opens automatically when pressed lightly.



Closing with C-drive

If the remote switch integrated in the carcase is operated, the door closes – convenient, easy and ergonomic.



C-drive on waste pull-outs

The fitted plug-in C-drive with its electric motor assists on the most frequently used unit. Particularly useful when your hands are full.



Electric opening system for refrigeration appliances


This opening system, which is integrated in the plinth, is especially useful for large refrigerators with high contact pressure.

Tip-On




Tip-On hinged doors

With the mechanical Tip-On opening system, hinged doors on wall, base and tall units open with a brief press and close just as easily.



Tip-On on drawers and pull-outs

A light press with the hand, knee or even your finger is enough for the drawer or pull-out to open a little and then be pulled out.



Quality

Our kitchens are Made in Germany and embody durability and quality down to the very last detail.

High-end finish and quality assurance



KEY FACT

High demands can only be met when the requirements are also checked regularly. This is why we have created a number of standardised test series that guarantee the consistently high quality of Schüller kitchens. The outstanding quality of our products has been certified by independent bodies. What is it all for? So that your customers can enjoy their kitchens for longer – because they came from Schüller.



Tensile and compression test

This test examines the strength of materials and connections, such as the strength of fittings, transverse tensile strength of woodbased materials, stability of glued joints.



Static load testing of shelves

We use weights to test the maximum sagging of shelves made of wood-based materials or glass.




Resistance to chemicals

Kitchen surfaces come into contact with a wide range of substances such as juices, acids, cleaning products and many more. This is why we perform thorough resistance tests.



Heat test, dry and moist

This test provides information on resistance to heat. The temperature for testing worktops is up to 180 °C. Colour, shine and resistance to blistering must be maintained.



Scratch resistance

Using force, a diamond tip is placed on a rotating furniture surface. The resulting scratches are then assessed accordingly.




Microscratch resistance

In the case of work surfaces, we test resistance to microscratches, the resistance of matt surfaces to shiny patches and the resistance of high gloss surfaces to deadening.



Sun test

Surfaces are irradiated using a xenon arc lamp. After different lengths of time, ageing and any colour changes are inspected and assessed.



Endurance and long-term testing


Robot-based, long-term tests are carried out to test fittings for wear, with their life cycle being simulated in endurance tests involving exposure to continuous stress and strain.



Colour assurance


To ensure colour consistency, e.g. for repeat orders, colours undergo permanent inspection with special measuring instruments in the incoming goods department.

Carcase finishes




The carcase rear panel

Screw attachments across the rear panels and adhesive on the vertical edges guarantee stability. The lamination on both sides of the 0.32 cm thick rear panels keeps them warp resistant and minimises the ingress of moisture from the house walls. The carcase sides are sealed with an edging strip and glued with PUR. The rear panels have a recess behind them to prevent the build-up of moisture and the formation of mould. This ensures better circulation of air between the wall and the kitchen units.




Carcase crossbars

The use of solid wood for the carcase crossbars in the base unit is a mark of quality. The solid wood crossbars in the base unit are sturdy and increase the life cycle and stability of the kitchen.




Front edge of the carcase

This is designed as a thick, resistant edge thanks to PUR bonding. The front edges run over the transverse edges creating a seamless appearance.



Adjustable and fixed shelves, 1.9 cm thick

Compared to thinner materials, the particularly high load-bearing capacity and dimensional stability exceeds standard values.




Plinth sealing profile

The profile is fitted in the shadow gap and glued with PUR so it is watertight. This keeps the plinth looking nice.



Plinth top sections

These provide protection during transportation and are attached underneath the carcase in such a way that the load from the side of the carcase can be directly transferred into the top section. They can also be used to connect the plinth feet.



Plastic-coated plinths

The waterproof plastic plinth made of polypropylene is long-lasting and resistant. Particularly in the case of shallow plinths, our focus is on stability.



Hinge for refrigerator units

If the furniture door on refrigerator units with fixed-door system projects more than 25 cm above the refrigerator door, an additional hinge with the same kinematics is supplied with the unit to stabilise the door and prevent it from warping.




Panels

The front panel on sink units and the appliance filler panel on tall units are horizontally and vertically adjustable.



Corner profiles

The corner profile on diagonal corner units is horizontally and vertically adjustable.




Carousel unit

The vertical wooden rail above the rear plinth top section provides greater stability during transportation. It also gives additional support to the worktop.



Half corner unit

A solid filler piece in 1.6 cm thick material provides a high level of stability in transportation and gives the unit strength during assembly and use.



Cable protection

This covers the hob cables and prevents direct access. This guarantees a longer cable life and protection for the customer.




Shelves with pull-out guard

The 1.9 cm thick shelves are fixed in place at the front with securing pins that prevent the shelf from being pulled out unintentionally when taking out kitchen utensils.



Glass shelves

A non-slip silicone suction cup is used to protect ESG glass shelves when removing them (single-pane safety glass). Glass thickness up to 60 cm Width: 0.5 cm; glass thickness from 80 cm Width: 0.8 cm.



Corner unit

Without corner profile, avoiding any colour variation between door and profile. The reduced gap alignment between panels is maintained.





Tall appliance unit for refrigerator

The production processes for assembly doors with sliding and flat hinges differ. When assembling flat hinges, no strip drill holes are made, which would be visible after assembly and would have to be sealed. When transporting the tall unit, the loose unit doors are securely attached to the carcase.

Added value and perfection in design




Added value in the hinges

The integrated cushioning in the hinges ensures that doors close silently. The height of the front can be adjusted using the additional adjustment screw in the mounting plate with a single turn of the screw.



Hinge clip function

The clip function enables the front to be installed easily.



Cross mounting plate with plastic expansion anchor

The cross mounting plate with expansion anchor ensures above-average stability and durability.



Wide-angle cabinet hinges

Interior drawers and pull-outs use the full internal width. The standard interior set-up of normal drawers and pull-outs can be used.




Torx screws

Particularly flat Torx screws (wood screws and threaded bolts) guarantee that carcases joined together are sturdy and handles are strongly attached.



Opening limiter

Rather than opening doors to an angle of 110°, the opening limiter opens them to an angle of no more than 86°. This prevents doors from knocking against fronts, such as in an L-shaped kitchen.




Spacer plate for positioning the dishwasher

The spacer plate consists of two parts and is used to assist installation by ensuring that the adjacent base units are positioned at the right distance.



Slanted front under raised dishwasher

This provides a consistent joint pattern and prevents collision with the dishwasher door.



Island tilt protection

Tilt protection on the carcase base and floor effectively prevents the base unit from toppling over.

KEY FACT

Kitchens require many technical details that are often visible. Here at Schüller, we work relentlessly to make the technical aspects as subtle and innovative as possible. We are constantly perfecting our products so that they speak for themselves and your customers can get true added value from them.



Visible side with increased carcase depth

Where required (e.g. in room corners greater than 90° or where walls are uneven), the visible side of the carcase can be made deeper and all in one piece to compensate. This means that the row of units can be easily adapted to the circumstances at the installation site.



Indirect ventilation for refrigeration appliances

The special design of the tall appliance unit enables air to be circulated at the back of the unit. The air is channelled to the rear through a double floor underneath where it then ventilates the back of the appliance.



Cover caps

A choice of white or lava black cover caps are provided for the shelf drill holes in the sides of the carcase. The use of the cover caps makes the unit interior look tidier and homogenous.



Front and side plinth recess

To create a uniform appearance at the end of the row, the side and front plinth recesses can be the same depth. The side of the carcase is also reinforced.

Planning information for 16-mm-thick worktops

Easy ordering procedure by entering header: To simplify order processing, the code „KA 16“ is entered via head recording. In this way, all required reinforcements and the installation kits required are ordered and delivered. The surcharges for the additional reinforcements are calculated automatically.



Reinforcements for base units over 60 cm wide



Reinforcements for built-under appliances, e.g. dishwashers





Attachment strip set for hob and sink



Metal crossbar for C1/C2/C5

The metal crossbar is pre-fitted in the factory. In 66-cm-deep carcases, two crossbars are fitted.



Aluminium profile for reinforcement

Slim worktops are stabilised on the X1, X2/SX2 and X5/SX5 with a special aluminium hollow chamber profile. On C1, C2 and C5 this is achieved by installing additional metal crossbars.



1,6 cm support panel for corner base units and corner filler panels

In the context of installing the carcase side, a 1.6 cm support panel is supplied for (some) corner base units and corner filler panels to support the worktop.

Wall units in detail

KEY FACT

Functions well thought out down to the very last detail: our wall units boast several technical refinements to guarantee that they are as easy as possible for customers to use.


Wall-unit mount

Dowelled at three points and additionally glued, the wall-unit mount in solid metal guarantees a huge load-bearing capacity. The fitting is located on the back of the rear panel.




Concealed cabinet mounting with lock screw

The lock screw prevents the units from becoming detached, providing greater safety in everyday kitchen routine.



Heavy-duty hooks for 56 cm deep wall units

Due to the greater depth of the unit, the hooks are designed to hold more weight.




Wall-unit suspension fitting

On the inside, the cover cap virtually masks out the sturdy solid-metal mount. Units can be adjusted in all three dimensions.

Wall unit hanging rail

The hanging rails are tailored to the width of the unit and help to facilitate assembly. The divided rails are used in 80 to 120-cm-wide wall units.



Wall-unit lift-up door

The integrated drive unit provides easy opening and soft closing, while also reliably keeping the wall-unit lift-up door open in any chosen position.



Wall unit folding flap

The mechanism allows the folding flap to be held in any position and ensures it is closed softly. The bottom door is released if an object obstructs the fold.



Single-track wall unit sliding doors

Units with handleless sliding doors can be integrated in the kitchen or in the living area. Units are available with different front and glass designs.



Wall unit interior handle

In handleless kitchens, the wall units are equipped with an interior handle that enables pivot doors and folding flaps to be closed more easily.



Wall units for the living area


Units up to 130 cm high are installed in the living area. Their interior and exterior decor is the same and they're fitted with glass shelves.




The Optimus drawer/pull-out system



01 Narrow, 15 mm frame in agate grey with elegant cubic appeal.
02 The frame is at a right angle to the bottom to ensure that items can be stored perfectly.
03 Elegant, complementary colours – agate grey (frame) and carbon grey (bottom) for a harmonious overall effect.
04 All frame parts are made of metal.
05 Extra-high dynamic load capacity of 40 and 70 kg.
06 Very quiet opening and closing thanks to synchronised guide rails.
07 Different Boxside models.
08 High front and side stability.



01 Safety catch
The safety catch ensures protection and quality.
02 Guide rail
The guide rail is securely attached to the carcase in numerous places with furniture screws.



Front adjustment
All adjustments can be made with the Torx T20 system. This makes adjustment easier.

01 Height adjustment
02 Front removal
03 Side adjustment

The Optimus drawer/pull-out system



Railing side

Standard with the 71.5 cm carcase height (C1/X1). The standard pull-out fittings consist of frames with an elegant agate grey metal rectangular railing.



Glass Boxside

Standard with the 78 cm (C2/X2/SX2) and 84.5 cm (C5/X5/SX5) carcase heights. Add-on with the 71.5 cm (C1/X1) model. The standard pull-out fitting on both carcase heights consists of a closed, high-quality glass Boxside. The design with its 15 mm railing, glass and frame as a closed unit has visual appeal and keeps stored objects inside the pull-out.



Metal Box-Cap

Add-on for 71.5 cm (C1/X1), 78 cm (C2/X2/SX2) and 84.5 cm (C5/X5/SX5) carcase heights. All made in a single colour and material for a uniform appearance. This matching design achieves maximum front stability thanks to the fully closed frames.

This version comes as standard on the living elements.







Carcase models C1 and X1 can also be provided with the comfort features of a glass Boxside or metal Box-Cap solution, and the C2 and X2/SX2 models can be supplied with the metal Box-Cap solution. It’s up to you to decide with your customer!


Metal


Wood


OrganiQ


Standard

Pull-out and comfort features



















01 Cutlery insert, translucent plastic
The flexible dividers can be repositioned for special requirements.

02 Cutlery and spice insert, natural oak
The natural, high-quality wood solution for more order in kitchen drawers.

03 Function insert
Made of plastic, these inserts have been designed in such a way that other utensils can be stored in the free spaces around them.

04 OrganiQ Drawer equipment, lava black
OrganiQ inserts are made of nearly 80% hemp and kenaf and are available in a variety of designs.

05 SpaceFlexx
Flexible arrangement that adapts to the contents of the pull-out: that's what you get with Spaceflexx – the horizontal divider made of flexible fabric.

06 Flex-Box for drawer and pull-out, natural oak
Stackable and movable, they accommodate even the smallest items whilst creating space for other kitchen accessories.

07 Partition frame, carbon-grey metal
This magnetic frame, attached to one of the sides or the rear panel, keeps things nice and tidy and holds them in place when the pull-out is opened.

08 Perforated baseboard, natural oak
By inserting the wooden rods or partitions in the perforated baseboard, compartments of suitable sizes can be created for crockery and supplies.

09 Agate grey pan lid holder/cross divider
The cross divider is simply added on and enables lids, plastic containers and even pans to be kept neat and tidy. It can be used on all pull-out systems and is also available with separators.




















10 Induction drawer
As induction hobs need a greater installation depth, they take up more carcase space. In spite of this, an extra-shallow drawer is available to make use of storage space, e.g. for cutlery.

11 Sink unit pull-out
The low rear panel supports the water and waste water fittings and provides storage space and convenience.

12 Pull-out base unit for cooking utensils
Variable storage space in a small area. The plastic boxes hold food or a range of cooking utensils. A wine bottle insert is also available.

13 “LE MANS” corner base unit
LE MANS unit for optimum use of storage space in the corner. The wooden shelves are edged in a practical metal band.

14 Towel rail for handleless designs
The towel rail can be flexibly adapted to different front thicknesses using felt inserts.

15 Base unit for downdraft extractors
This provides the perfect solution for the installation of many brands. We also offer tailored solutions for other appliances as far as we are able.

16 Frame support with anti-slip mat
The 60 to 120 cm pull-out widths can be optimised with additional storage space by using the sliding frame support.

17 Sink unit with waste system and interior drawer
The generous width and low centre panel enable larger and deeper sinks to be easily installed while maintaining a uniform front division.

18 Pantry-Box
Keeping food fresh is no longer an issue thanks to the pantry box: it was specially designed for storing fruit and vegetables.

QUALITY

A wide range of worktops




KEY FACT

Countless decors, structures, edges and strengths make our worktops a unique, high-quality product that can be flexibly tailored to customer requirements. They are available in thicknesses of 1.6 and 3.9 cm. For improved planning, worktops are now also available in a depth of 650 mm in addition to the standard dimensions and thicknesses.



Extensive range

The range of worktops is perfectly tailored to your customers' needs and design requirements.



Structure

The laminates structure makes the worktop a robust high-end product.



Plastic edges

Lamination with plastic edges takes place in the factory using PU glue in a matching colour. This makes the very fine gap watertight and practically invisible.



Sealing

On worktops with laminate edging, the front lengthwise edge of the worktop is sealed from below with a moisture-resistant laminate.



Worktops with tongue-and-groove connection

Connecting worktops at right angles in this way produces a smooth, highly precise joint which is glued together for a water-tight seal. The groove depth is almost invisible.




Cut-outs

As a time-saving measure, the sink or hob cut-out can be milled in the corresponding place. This saves time during kitchen assembly.




Flush-mounted installation

We provide flush-with-surface cut-outs for sinks and hobs for all decors and both worktop thicknesses. Watertight bore holes for taps are also possible.



Flush cut-out design

Optimum swell protection is achieved with a watertight cast resin filler under the laminate.



Worktop connector

The connecting fittings provided and the water-resistant adhesive produce a perfect, seamless and sealed joint between worktops.



Packaging

With our support panel and worktop packaging, we have taken an important step in terms of sustainability by using folded cardboard to protect edges.

authentic materials

Special materials for kitchen design

Systemo meets demands for worktops and elements made from high-quality authentic materials such as natural stone, ceramic, quartz, glass, solid wood and SensiQ.

They are characterised by their elegant appearance, high-quality finish, pleasant feel and excellent cleaning and care properties. As well as worktops, Systemo offers a range of products that give a kitchen design a uniform, contemporary look such as wall cladding, support panels and breakfast bars. For all-round planning from a single source!



Read more.

systemo.

Coherent design

The close collaboration between Systemo and Schüller enables consistent kitchen and worktop design, as well as matching technical details throughout. All relevant details about the Systemo portfolio are integrated into the current planning programmes to ensure the easy, reliable and convenient planning and ordering process that our retailers are familiar with and have come to expect.

Our competent admin team is on hand to help with any queries about planning, materials, order processing and delivery, as well as correct worktop assembly, cleaning and care. The linking of orders with the corresponding kitchen orders enables easy comparison of both plans and simultaneous delivery.


Upon request, our trained personnel can also take care of the entire process, from taking professional measurements through to delivery and assembly in the private customer's home. The advantages are plain to see: a simple, competent process from consultation through to completion.



Ceramic



Quartz




Natural stone



Solid Wood




Glass



SensiQ

Quality along the entire delivery chain



KEY FACT

Schüller product quality does not end at the factory gate. We have developed highly effective processes to make things as easy for you as possible. After final assembly, everything comes together in the same place – the logistics hub. Here, according to route planning and delivery, orders are checked to ensure they are complete and then loaded up. Then one of our more than 70 HGVs or one of our longstanding logistics partners makes their way to you. At their destination, checks are carried out to ensure that everything on the order is unloaded. This makes your job easier, prevents delays or complaints and results in satisfied customers. Our assembly videos for smartphones and tablets complete our range of services. This is how quality reaches the customer!

Packaging

We use true-to-size packaging, adapting it to the size of the components. This is to benefit you and the environment. Carcase sides and fronts are protected all over. Long parts are attached to a solid wood board. Wall end strips are transported in a sturdy cardboard tube to prevent breakage.





Bags of fittings

Labelled and correctly sorted pre-packed bags of fittings, containing a low number of parts, make assembly easier.

Support panels edged on 4 sides

This makes it possible to turn panels so that the perfect surface is always on the outside.





Plinth top section

Plinth top sections have a bore hole inside the unit. This means that height adjustments can be made easily from inside the unit instead of directly on the unit feet. This is especially handy in the case of shallow plinths.

Plinth cutting

Plinths are cut to size, allowing for a streamlined design. Plinth parts are numbered to facilitate correct positioning of the cut-outs.






Additional handles

Dowelled fronts and fixed panels are provided without drill holes but with a handle. This means that the private customer can decide where it is to be attached and therefore create a customised look.

Installation instructions

These enable quick and accurate assembly. Customer specifics are set out and complex components are labelled with QR codes that lead to helpful assembly videos. Floor plans, views, plinth levelling and worktop layouts are explained in detail.






Care instructions

After completing assembly, please hand over the care instructions together with the assembly instructions. They provide the private customer with important information on how to look after the different materials. Proper care helps them to last longer and is part of the guarantee.

Made in Germany



We deliver our kitchens worldwide to over 35 countries. But when it comes to purchasing, we prefer to do that closer to home. Here in Germany, our purchasing volume of just under 58% not only brings us strategic advantages when procuring raw materials, but it is also a clear commitment to our home country and an important contribution towards the strengthening of our local economy. We define our local suppliers in Germany as local partners. Incidentally, we make almost all of our remaining purchases in the European Union.

KEY FACT

Durability is an essential marker of quality. To meet our high demands in terms of the durability and quality of our products, as well as to ensure the sustainability of our business, we purposefully opt to develop and manufacture our products and conduct thorough quality controls in our home region. This requires maximum discipline and innovative power. We guarantee this by making sustainable investments in our employees and our production facilities, among other things. This is not only good for our customers and partners but also for the environment and the future of our region.



Ideas

Our products stand out for their practicality and a multitude of delightful ideas and solutions.

More than just a kitchen: the utility room



KEY FACT

Whether a room in the cellar or next to the living area, the utility room is a functional place equipped for everything that a household needs. Wash, iron, store and recycle in a well-organised, ergonomic space. The specially-designed units for the washing machine, for sorting laundry and for storing cleaning appliances, supplies and shoes allow you to perfectly manage your home.

Tall unit for washing machine or washer dryer

Raised for comfort: the washing machine or washer dryer in the tall unit with its handy pull-out shelf for the laundry basket.



Base unit with two laundry bins

This design provides a space-saving way to sort the laundry, especially where it is not possible to plan a tall unit. The two bins in the pull-out have ventilation holes in the sides and can be fully removed.



Laundry sorting unit

Through the openings, dirty washing can be perfectly sorted in the laundry sorting unit – whether by washing temperature or colour. All hidden away behind a door.





Tall laundry unit

The tall laundry unit for storing the ironing board or airer is also available in a model with internal drawers and pull-outs in addition to the fixed shelves.



Base unit with pull-out table

The base unit with pull-out table provides both storage space and a space-saving solution for doing laundry in the utility room. The table can be concealed behind a drawer front piece, enabling it to be integrated harmoniously.

Tall unit for fittings (cross section)

Doors and full pull-outs allow things to be hidden away and kept neat and tidy. Pull-outs are shortened where the fittings are and the rear panel is removed so that connections can be accessed.



Mobile side table

As a storage area, this small, flexible and customisable piece of furniture can be adapted to all requirements and folded away to save space when not needed.



Tall end unit

With shelves, an ironing board holder, a broom cupboard arrangement or power outlets for battery-operated appliances, this shelving is a perfect all-round solution that keeps things neat and tidy.





Tall unit for shoes

The clearly arranged tall unit for shoes provides plenty of space and visibility. Even the door can be used for storage. The shortened top and floor of the unit provide ventilation.



Highboard-high washing machine unit

With consistent, ergonomic planning in mind, highboard-high washing machine units are now available. This means that the raised washing machine also fits under ribbon windows or in low rooms.

More than just a kitchen: the pantry



KEY FACT

The pantry is designed to provide storage space for all kitchen-related items. Whether drinks crates, food, the microwave or awkwardly-shaped kitchen appliances: everything has its place. What's more fitting than redesigning tried-and-tested high-quality kitchen furniture for this purpose and offering price-oriented open units? The frontless design provides visibility for less – a good argument for taking advantage of new potential in this field of business.

Pull-out with recycling bags

The range of special recycling units and bags makes the sustainable use of resources child's play. Bottles, paper and tins can be easily sorted and are ready to be taken out at your convenience.





Crate-effect pull-outs

Natural oak pull-outs with Tip-On not only look good but also provide a perfect storage space for food items. The wood panels have gaps between them that provide ventilation for the contents while protecting them from sunlight.

One-piece fronts for wine coolers

As a place where bottles of wine are optimally stored and beautifully presented in the kitchen, wine cooler units are growing in popularity. The new fronts allow for the installation of many top-of-the-range appliances, enabling them to be integrated simply and seamlessly. The cutout is concealed by a stainless steel coloured or onyx black frame.



Tall storage unit

Tall storage units with shelves, interior drawers and pull-outs are brilliant storage solutions. You can set up and use the interior space as you wish.





Tall unit shelving for beverage crates

The diagonal shelves allow the user to simply slide in the crates so that they have a clear view of everything and can easily remove the bottles. In the tall unit model with a hinged door, the crates are discreetly hidden from view.




Tall unit corner shelves

Unused corners are transformed into practical storage areas to keep things tidier and more organised. The corner shelves also provide perfect access to the storage space and more freedom to move around the room. Bulky or seldom-used objects can be stowed away in the far corner, so that the space is used to its full potential.

More than just a kitchen: wall combinations

A selection of batch items are available for this category. A combination of individual components has already been devised and can be customised at a later date.






Part of the room

A wall can embody so much character and flexibility. For many decades the wall combination has been one of the most popular standard furnishings in the living room. However, the era of the somewhat heavy and rustic look is long gone. Today, light and airy-looking interpretations are the trend; they can stage and frame design objects with precisely the same elegance as they do multimedia devices, which have become just as aesthetically pleasing too.

More than just a kitchen: sideboards

A selection of batch items are available for this category. A combination of individual components has already been devised and can be customised at a later date.





Modern simplicity

Harmonious order in the living space at its best. If there is a piece of furniture that combines clear lines, modern design and the greatest possible functionality it is the sideboard. It can be perfectly placed in an open, airy living space where it will provide harmony and structure and add a special touch.


More than just a kitchen: the wardrobe



A selection of batch items are available for this category. A combination of individual components has already been devised and can be customised at a later date.

KEY FACT

Often the first thing we see when we enter someone's home is the wardrobe. To create a good impression here too, the furniture must be as unique as the customer. Wardrobes are preconfigured as batch items so that you can provide ideas quickly and easily. Who knows, perhaps this was just the item of furniture you were missing?



Service

Modern tools with constantly updated functions make everyday sales work easier.

Kitchens are our thing



KEY FACT

We are here to help. Personal contact is important to us. This is what our office and field staff stand for alongside our versatile online service which includes training, order information, news and much more. Installation videos show your fitters how everything fits together. We bring you this and much more to help your success come easily.



Field staff

Our nationwide field staff support team guarantees that our retail partners are provided with expert assistance with planning and delivery, marketing and presentation at the POS. This enables us to help your kitchen sales staff to provide effective sales advice in your day-to-day business.



Admin

Your personal contact person is available from 6 a.m. to 9 p.m. on workdays and can be contacted in German, English or French. We also provide support in another five languages (Dutch, Spanish, Czech, Hungarian, Croatian) during the official office hours of 7.30 a.m. to 4 p.m. We thoroughly check all order details and kitchen plans.




Route planning and delivery

We can take delivery notifications for a particular day. Qualified HGV drivers ensure safe delivery. We scan each item when loading and unloading to guarantee that deliveries are complete. Our own fleet of over 70 HGVs, and our longstanding logistics partners guarantee quick and timely delivery.



Installation

Our products are particularly easy to install as they are optimally prepared by the production department, for example with pre-sorted, labelled bags of fittings or product-specific installation instructions. We also provide QR codes for installation videos. Special processing is of course possible.



Show kitchens

Our planning is carried out by our own interior designers or by experienced freelancers. The planning proposals for show kitchens are perfectly adapted to the current collection. Show kitchens are installed by our own fitters or certified, direct subcontractors.




Marketing package and image pool

Our journal, which is available both printed and as an online flip catalogue, is a great source of information and inspiration. What's more, our digital catalogues and POS materials enable targeted advertising campaigns to be created. The online image archive provides you with quick access to our images for your advertising activities.

Multiple services in your planning software

KEY FACT

Service is at the forefront of our business, which is why with every new collection we also adapt our supporting catalogue functions to our customers' requirements, constantly working to expand them. These functions create expertise and a wealth of ideas, provide security and save you a considerable amount of time in the planning stage.



Height change function

The automatic system change function allows designs to be efficiently switched from one Schüller system (C1, C2, C5, X1, X2/SX2 and X5/SX5) to another as desired. In doing so, the products incorporated into the design will be automatically adjusted to the carcase height. Designs with handles can also be switched to handleless or SingleX designs. This not only saves time but also the effort of searching for equivalent products in the desired system.



Planning check (TAK) & appliance check

Integrating essential manufacturer checks can significantly reduce planning and order errors. This results in fewer queries and a decrease in subsequent price-related corrections. The warnings and notes that are also integrated into the check support the adviser.

The Schüller planning check tells you whether an appliance is compatible with the planned retrofit cabinet, helping you to find a suitable unit.



EDI order process

Process optimisation for you and for us – thanks to the electronic ordering system (EDI), you can transfer your order data directly to our registration system. This rules out manual errors. Orders are processed once the details have been thoroughly checked. The automatic A/B comparison makes the A/B test easier for you as all discrepancies are displayed. Changes can be submitted via EDI until order confirmation is received and must be from the original order.



Original product sketches and images from the sales documents

By integrating our original product sketches and images, dimensional and visual product features can be shown directly in the planning software. Our sketches and image data are an additional highlight on customer forms (quotes and purchase contracts).



Suggested accessories

To make everyday life at home easier, the right accessories (cutlery inserts, partitions, lighting and much more) are essential. With our linked products, we suggest suitable accessories during the product planning stage. This enables custom-fit inserts for drawers and pull-outs or even lighting to be added to the plan clearly and easily. Decorated image data illustrate the added value and show how the accessories can be used.




Planning suggestions

With a wide range of planning suggestions for wardrobes, wall combinations and sideboards, furnishing requirements beyond the kitchen can be flexibly included in talks with the customer. These suggestions can be directly added to the plan in just a few clicks, showing the customer that you really know your stuff, providing a wealth of ideas and saving you a considerable amount of planning time. Planning suggestions can be tailored to customer requirements after integrating them in the software.

Sales manual and digital catalogue

KEY FACT

The bound sales manual with thread stitching enables more contents to be conveniently included in a smaller space. This means that all important information is gathered in a compact format and close at hand for greater efficiency. The clear colour coding enables you to find things easily and saves you time.



Ready to retrieve at any time, quick to access and equipped with a keyword search function: download your digital sales manual from the extranet.

Our six systems are clearly set out in a sales manual: the carcase heights are classified by colour codes.

Key:

Grey	Information, ranges, colours, dimensions, accessories, etc.
Yellow	C1/X1 – 71.5 cm carcase height
Red	C2/X2/SX2 – 78 cm carcase height
Green	C5/X5/SX5 – 84.5 cm carcase height
Blue	Products across the ranges: wall units, top units, support panels, etc. are separately listed for C1/C2/C5, X1/X2/X5 and SX2/SX5.



The overview of materials and colours can be folded out at any time to provide an outline of your range.

Straightforward navigation.

The colour and page number on each corner, combined with well-organised summaries, will enable you to intuitively find your way around the sales manual. Each index has a list of contents with a page reference to help you find what you're looking for.

Different overviews are available to give you a complete insight:

- extensive index
- overview of product ranges
- index overview
- overview of materials


Link to sales manual PDF

Our sales documents are also available to you in a digital PDF format. This gives you the chance to access the full edition of the current sales manual by smartphone or tablet, for instance, even when you're on the go. To access all of the document functions, we recommend that you use a high-quality PDF reader. Our linked sales manual enables you to access the corresponding page in the sales manual directly from an item in the planning software.

User-friendly product number key

KEY FACT

Our simple principle for naming products enables you to quickly find and classify our products. The product number is made up of different building blocks; one tells you what type of unit you're dealing with, another will tell you a certain dimension and so on. This makes your everyday work much easier.



Product number key

X	U	60	71	35	Z2
Handleless	Base unit	Width	Height	Depth	Pull-outs 2

Abbreviations for tall units

H5	Tall unit carcase height C5
HR	Tall unit grid
HRDI	Tall unit grid, diagonal
HRE	Tall unit grid for corner
HH	Tall unit half grid
HHDI	Tall unit half grid diagonal
HHE	Tall unit half grid for corner
HSS	Tall unit visible side
HSSV	Tall unit visible side with increased side depth
UG	Base construction for raised dishwasher

Watch the explanatory video here!

Abbreviations Base units

U	Base unit
UE	Corner base unit
UDI	Diagonal corner base unit
UR	Open shelf base unit
UH	Base unit for built-in oven
UK	Base unit for hob
UM	Base unit for microwave oven
US	Sink base unit
UES	Corner sink base unit
UARO	Rondo end base unit
UL	Base unit for table extractor
UWI	Angled base unit
URW	Base unit rear panel
SPO	Plinth pedestal
UL	Base unit carcase filler panel
UP	Base unit filler
USS	Base unit visible side
X	Handleless for X1, X2 and X5
XS	Handleless SingleX system with front division on SX2 and SX5





Front/function abbreviations

S	Drawer (number after S)
Z	Pull-out (number after Z)
I	Internal pull-out, drawer
B	Dowelled front
BF	Fixed front panel
G	Large drawer
G	Mesh basket
F	Bottle basket
M34	Waste separation 34 l
DM	Wood carousel shelf with metal band
DK	Plastic carousel
VH	360° wooden carousel
GF	Divided front
GS	Divided drawer
AT	Extending table
LM	Le Mans swivelling wood shelf
V	Storage
AK	Pull-out with plastic bowl
AG	Pull-out with mesh basket
E	Tiered pull-out
B	Broom






* Only if other than 56 cm

** Specification based on door distribution, T1–T5 grip ledge

Base units

	Designation	Figure	Unit definition	Dimension definition	Front / function
C1 71.5	U 60 71 SZ2		U Base unit	60 Width; 71 Height; * Depth	S Drawer 1; Z2 Pull-outs 2
X1 71.5	XU 60 71 35 Z2		XU Handleless base unit	60 Width; 71 Height; 35 Depth	Z2 Pull-outs 2
C2 78	UE 90 78 -DM		U Corner base unit	90 Width; 78 Height; * Depth	-DM Wood carousel shelf with metal band
X2 78	XU 60 78 S2Z		XU Handleless base unit	60 Width; 78 Height; * Depth	S2 Drawers 2; Z Pull-out 1
C5 84.5	U 60 84 -ISZ2		U Base unit	60 Width; 84 Height; * Depth	-I Inte-rior; S Draw-er 1; Z2 Pull-outs 2
X5 84.5	XU 60 84 Z-ISZ		XU Handleless base unit	60 Width; 84 Height; * Depth	Z Pull-out 1; -I Inte-rior; S Draw-er 1; Z Pull-out 1

Tall units

	Designation	Figure	Unit definition	Dimension definition	Front / function
C1 71.5	HH 60 201 ISZ3		HH Tall unit half grid	60 Width; 201 Height; * Depth	I Inte-rior; S Draw-er 1; Z3 Pull-outs 3
X1 71.5	XHH 60 201 T1Z2		XHH Handleless tall unit half grid	60 Width; 201 Height; * Depth	T1 Door distribution**; Z2 Pull-outs 2
C2 78	HR 50 214 BVEHM		HR Tall unit grid	50 Width; 214 Height; * Depth	B Dowelled panel; VE Tiered larder pull-out; HM Wooden bottoms with metal strip
X2 78	XHR 60 214 35 T1V		XHR Handleless tall unit grid	60 Width; 214 Height; 35 Depth	T1 Door distribution**; V Storage
C5 84.5	H5 30 201 B B		H5 Tall unit C5	30 Width; 201 Height; * Depth	B Dowelled panel; B Broom
X5 84.5	XH5 40 214 Z2 AK		XH5 Handleless tall unit X5	40 Width; 214 Height; * Depth	Z2 Pull-outs 2; AK Plastic pull-out

Our Extranet for full digital power

News


Keep up to speed with ease. In the news section we regularly share news and the latest issues relating to our product ranges and the company (such as information on new sales documents, seminars or quality seals and certificates).

Orders, delivery times and sales figures

Are you looking for a specific order number or do you need an overview of all confirmed orders? The order overview helps you to keep everything in check. You can find delivery dates and filter changes, complaints and follow-up orders into different categories or send your query straight to us in just a few clicks. For more detailed overviews, you can simply export the order data as a table. With our tool, a quick look at turnover figures is no problem either. If you run several outlets, you can display the total amount or analyse individual outlets.

Sharing knowledge to ensure success

We ensure that you are perfectly prepared to plan, sell and assemble Schüller kitchens. On the Extranet, you can find dates for our extensive range of training courses.



Marketing

We provide numerous support measures in the marketing area of the Extranet to help you perfect your public image.

Media configurator: customisable documents that you can use for your print or social media.

Sales documents: from the catalogue to a range of brochures to provide inspiration to you and your customers.

Newsletter: the latest, targeted information brought to you on a monthly basis.

Subscribe on the extranet today!

One platform, a multitude of contents

Other documents, such as the sales manual, are conveniently available for download.

Service centre: contact persons and FAQs


Do you have a query about an order or need image data and want to know who can help? In our extensive service section we answer frequently asked questions (FAQ) on a range of subjects. If you still need help, you can see a list of Schüller contact persons.

KEY FACT

The Schüller Extranet is our service portal for our retail partners. All up-to-date information about orders, delivery times, sales figures and marketing tools can be accessed online any time and anywhere, making your day-to-day work more manageable. The extranet is growing with us and the increasing demands. We are constantly improving the range of functions to help you do your job.

User administration

As a business owner or manager you can use the full range of functions on the Extranet. At the same time, different user roles are available that you can assign to your employees according to their position in the company. User rights can be individually adapted if required. A form is used to register for the extranet. You can register yourself and your employees with the corresponding user rights.




Marketing newsletter
Receive exciting insights into Schüller and next125's marketing activities!

Trading partner newsletter
Here you can read news relating to product development, sales, marketing, services and more on a monthly basis.

Training courses

Schüller training centre |s|t|c.

Service has always played a very important role here at Schüller and that's why we're constantly devising training courses and adapting them to current requirements. To make the training process easier, we created a digital learning platform: the Schüller training centre |s|t|c., which can be easily accessed via the extranet. Clicking on the |s|t|c. section will take you directly to the learning platform. Access rights depend on the extranet user role assigned. All users can consult course dates and the availability of product or installation courses online. However, they must be booked by a manager.



Face-to-face training



The classic in-person seminars at our showroom in Herrieden stand out for their sociable atmosphere and factory tour. There is also the chance to attend seminars in our constantly updated showroom at house4kitchen in Löhne, or our staff can simply go to you to provide training at your company.

Seminars

The variety of seminars that we offer aims to convey to participants the information and arguments that they need to ensure the desired success in their daily planning, sales and assembly activities.

Duration
One to two and a half days


- The basics
- Products
- Assembly

Individual training courses

Our individual training courses enable you to quickly reach your goals in planning, sales, assembly, order processing and many more areas. Boost your company's success and gain even more enthusiastic customers while saving time and money.

Duration
Adapted to the seminar objectives

Online training



E-Learning

Through our diverse range of e-learning courses, you can explore a variety of core topics on our Schüller training centre |s|t|c. platform on the extranet.

Webinars

Some marketing tools are easier to understand when they're explained. That's why we provide a deeper insight and the chance to ask questions in our webinars. The topics are diverse and more are being added constantly. Employees from the Schüller marketing department are there to give information in a structured manner and address your questions regarding Sharefile, the media configurator and new Instagram trends. The short sequences are easy to fit in to your everyday schedule. You can find the dates on the extranet and, of course, in the marketing newsletter.

Duration
45 minutes

Web-based Trainings

Our range of seminars is designed to be incorporated into your everyday work, providing you with knowledge and professional development opportunities when and where it suits you. Thanks to the |s|t|c. platform, our web-based training courses – WBT for short – are accessible to our Extranet users round the clock and free of charge. Here you can learn new things about our collections independently and at your own pace. This is the perfect option whether you're new to a subject or looking to refresh your knowledge.

Duration
Approx. 5–30 minutes per WBT

Product service
Planning check (TAK), EDI, software service

Marketing
ShareFile, social media, Extranet

Product seminars
Can be customised upon request

Contents
Typically Schüller | Larder & utility room | Wardrobe Living | Product number key | Sales manual quality & quality assurance | Systems & installation heights New products | Work space

Feel free to contact us if you're interested: training@schueller.de



Sustainability

Actions speak louder than words: durability is an essential marker of quality – for customers who know what really matters.

Sustainable growth

KEY FACT

As a medium-sized company with a long family tradition, Schüller is deeply committed to the municipality of Herrieden. Schüller takes responsibility for the region and its people and has always aspired to work in line with the interests and needs of citizens, the town and the environment. Ecology and economy need each other. The social aspects are also very important to Schüller.



Social responsibility

Optimisation of packaging materials

Rooftop solar panel system

Products with sustainable raw materials

Sustainability in action

KEY FACT

“Economy doesn’t work without ecology” – this principle is firmly anchored in our company DNA and forms the basis of our forward-looking business decisions. For your customers, Schüller kitchens should be a source of enjoyment and satisfaction in the knowledge that they have been produced by a company that takes sustainability seriously. This is the only way to ensure that our kitchens are as they should be: living spaces where quality of life abounds, made by individuals for individuals.



The cycle of nature

As an environmentally aware and nature-loving manufacturer of kitchens and furniture, the all-round protection of nature, the climate and the environment is a matter that is very close to our hearts. The durability and partial recyclability of our products enables us to make a positive contribution to the environment by minimising the unnecessary use of resources and enabling the reuse of some materials at the end of their life cycle.



Water-based lacquer

We continuously strive to meet the demands for modern manufacturing in our products with our Dual Cure lacquer system. We use water-based lacquers with a considerably lower proportion of volatile organic compounds. This means that they contain fewer hazardous substances and produce fewer emissions than solvent-based lacquers. Water-based lacquers are much more environmentally friendly. This is because fewer fossil energy sources are required in their manufacturing.



ISO 50001 certified

The constant optimisation of energy efficiency is extremely important. This is why we monitor and optimise the three biggest energy consumers in our company: the machinery in the production department; the heating system; and our HGV fleet. In fact, we are constantly recording energy consumption data and raising awareness among our employees so that they use energy sparingly. We have an energy management system in place to improve our energy efficiency.



Owner-managed and home-loving

As an owner-managed company in its second generation, we are personally dedicated to our values of courage, trust, responsibility and appreciation and so remain true to ourselves. This not only applies to us as a company but is also a nod to our home town of Herrieden and its inhabitants, for whom we are a reliable employer. It is also why we are continuously investing in our company and home region. This ensures shared success and makes Schüller what it is.



Production and wood-based materials.

From an ecological point of view, wood kitchens and furniture are advantageous as wood is a sustainable raw material. In terms of sustainable forest management, we opt for PEFC-certified wood and wood-based materials from sustainably managed forests, which we predominantly obtain from suppliers in Germany and Europe with whom we maintain long-standing, long-term partnerships. Short transportation routes are another advantage of our purchasing behaviour.



Scrap wood heating system

In a business that produces furniture, wood waste is a given. Wood cascading can considerably increase the efficiency of resource use. This is how we make our cover panels, and wood packaging is sent for recycling. Shavings are used for energy recovery in our heating system fired on scrap wood. The advantage: we do not use fossil fuels, and therefore non-renewable resources, to generate heat



Inspiration

Your (and our) passion for kitchens is the key to winning customers over.

Experience Schüller kitchens



|s|a|c.

Today, people don’t just buy a kitchen but a place where they can live life to the full. This is how our |s|a|c. came to be a place where the kitchen experience comes to life. Building your show kitchens for you in your company is to us a way of providing a service and a source of inspiration. True-to-life, playful, but at the same time functional – just like modern life.

Herrieden


360° tour – virtual showroom


KEY FACT

We offer you the chance to take a 360° tour of the Schüller exhibition centre. Explore our exhibition with its many suggestions and examples for planning from our extensive kitchen portfolio. Various video presentations will tell you all there is to know about kitchens and how we transform them into an oasis of well-being with innovative products made by Schüller. Allow the exhibition in Herrieden to inspire you!











Click here to visit our virtual showroom!

KEY FACT

A Schüller kitchen is best experienced first-hand. This gives a good feel for the room, space distribution, colours and materials. For this reason, we provide show kitchens in several locations: our |s|a|c. in Herrieden, Küchenmeile in Löhne and Eurocucina in Milan. We look forward to seeing you there.





Küchenmeile

The counterpart of the |s|a|c. in Herrieden is in the town of Löhne in North Rhine-Westphalia. There, Schüller's house4kitchen opens its doors every year on the dates of the Küchenmeile trade fair and offers its visitors the very best from the world of kitchens. Every year, Schüller presents its new range there alongside other exhibitors.

Löhne



About

Publisher —

Schüller Möbelwerk KG, Rother Straße 1, 91567 Herrieden / Germany
Tel +49 (0) 9825 83-0, Fax +49 (0) 9825 83-1210, info@schueller.de, www.schueller.de
Technical changes and colour variations due to printing reserved.

Edition 2025

Certification

Emissions label class A: The tests for categorisation in the German Furniture Quality Assurance Association's emission classes provide a high level of assurance that defined pollutants produce no adverse effects on health. Our kitchen furniture has been awarded the highest emission class A and, in some cases, provides consumer protection far beyond the legal stipulations.

Möbel Made in Germany: The "Made in Germany" label guarantees that the majority of manufacturing process relevant to quality takes place in Germany. The demanding criteria ensure a high standard of quality since furniture design, assembly and quality testing are activities that are carried out entirely in Germany. The requirements have been laid down by the German Institute for Quality Assurance and Certification (RAL) in a 'Quality Basis' monitored by the Deutsche Gütegemeinschaft Möbel (DGM).

Goldenes M: The "Golden M" quality mark is an award for tested furniture that meets stringent criteria in terms of quality, safety and health/environmental protection. The "Golden M" is awarded by the German Furniture Quality Assurance Association (DGM) which, as the RAL Quality Association, performs an important function: to ensure the quality of furniture and enhance consumer protection. To receive the quality seal, furniture manufacturers must meet very high requirements.

PEFC: The manufacturer is PEFC-certified. PEFC is an acronym for "Programme for the Endorsement of Forest Certification Schemes". The displayed PEFC label is traceable confirmation that the woods and wooden materials used originate from ecologically, economically and socially sustainably managed forests and controlled sources. The obligation to regularly provide proof continuously ensures adherence to the PEFC Chain of Custody.

GS mark: The kitchen furniture range (without electrification, electrical appliances, lighting, taps and sinks) has been tested by the Rheinland LGA Products GmbH certification body for mechanical and general safety. The voluntary GS label certifies that the above products meet the requirements defined in the German Product Safety Act. Regular external examinations continuously guarantee compliance with the requirements.

ISO 9001:2015: The quality management system DIN EN ISO 9001:2015 introduced voluntarily in the company regulates the customer orientation and process quality via defined procedures. From product development through production and installation to customer service.

ISO 50001:2018: The energy management system introduced under DIN EN ISO 50001:2018 requires companies to reduce their energy consumption in a structured and systematic manner by continuously recording and evaluating energy data as well as by taking subsequent measures to improve their energy efficiency.



Kitchens made in Germany